	Application No.	Applicant(s)	
Notice of Allowability	10/549,834	BRILL ET AL.	
	Examiner	Art Unit	
	MACADE BROWN	3753	
— The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS I herewith (or previously mailed), a Notice of Allowance (PTOL-8) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	S (OR REMAINS) CLOSED in 5) or other appropriate commun RIGHTS. This application is standard MPEP 1308.	this application. If not inc nication will be mailed in o	luded lue course. THIS
<ol> <li>This communication is responsive to <u>an amendment filed</u></li> </ol>	1 2/20/09.		
2. The allowed claim(s) is/are 15,17,18,20-29,31 and 32.			
3. ☑ Acknowledgment is made of a claim for foreign priority.  a) ☑ All b) ☐ some* c) ☐ None of the:  1. ☑ Certified copies of the priority documents hat  2. ☐ Certified copies of the priority documents hat  3. ☐ Copies of the certified copies of the priority comments hat  3. ☐ Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. ☐ A SUBSTITUTE OATH OR DECLARATION must be sub INFORMAL PATENT APPLICATION (PTO-152) which gifts.  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") m  (a) ☐ including changes required by the Notice of Draftspe  1) ☐ hereto or 2) ☐ to Paper No./Mail Date	we been received.  we been received in Application focuments have been received  of this communication to file MENT of this application.  mitted. Note the attached EXA wes reason(s) why the oath or ust be submitted.	in this national stage app in this national stage app a reply complying with the MINER'S AMENDMENT of declaration is deficient.	erequirements
(b) ☐ including changes required by the attached Examine	er's Amendment / Comment or	in the Office action of	
Paper No./Mail Date  Identifying Indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the	e drawings in the front (not	the back) of
DEPOSIT OF and/or INFORMATION about the department attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATE	RIAL must be submitte	d. Note the
Attachment(s)  1.  Notice of References Cited (PTO-892)	) 6. Interview Su	ormal Patent Application mmary (PTO-413), Jail Date Amendment/Comment	

Application/Control Number: 10/549,834

Art Unit: 3753

# DETAILED ACTION

This office action is responsive to the amendment filed on 2/20/09. As directed by the amendment: claims 1-14, 16, 19, 30, and 33 have been cancelled, and claims 15 and 31, have been amended, and presented claims 17, 20, and 21, were previously amended on 1/08/09. Thus, claims 15, 17, 18, 20-29, 31, and 32 are presently pending in this application.

# EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

# IN THE CLAIMS:

In claim 15, line 36, delete "the switch," and replace with "a switch." In claim 17, line 5, delete "a switch," and replace with "the switch."

# Allowable Subject Matter

Claims 15, 17, 18, 20-29, 31, and 32 are allowed.

Johnson (3, 914, 528) teaches a pressure-relief valve having a casing 11 (fig. 1) including: a flange 22 formed with a through going port 24, means 19 for securing the flange 22 to the casing 11, a seal 29 surrounding the port 24, a spring plate 34 spaced outward from the port 24, a rigid post 35 secured directly to the spring plate 34 and to the flange 22, and fixing the spring plate 34 relative to the flange 22, a valve body 31 between the spring plate 34 and the flange 22

Application/Control Number: 10/549,834

Art Unit: 3753

and displaceable between a closed position, engaging the seal 29 and closing the port 24, and an open position spaced outward from the port 24, and permitting flow out of the casing 11 through the port 24; a spring 32 having an outer end bearing against the spring plate 34, and an inner end bearing against the valve body, whereby when pressure in the casing 11 exceeds a predetermined limit, the valve body 31 is pushed out and fluid in the casing 11 can pass through; the spring plate 34, holding the valve body 31 and spring 32 and into which the port opens; an indicating member 44 fixed on the valve body 32 and projecting through the spring plate 34, a switch 46 actuatable by the indicating member 44; wherein the indicating member 44 is a pin.

Herz (5, 937, 893) teaches a cup-shaped housing 36/212 (figs. 1 & 8) engaged over and covering valve elements, including a spring plate 20 (pressure relief device; fig. 8) and a post 56 (fig. 2), the housing 36/212 (figs. 1 & 8) having an end wall 46/232 spaced from a flange 214 (adapter plate; figs. 8 & 9) and a side wall 37/234 projecting from the end wall 46/232 toward the casing 121 (fig. 5) and forming a rim; the spring plate 20 subdividing an interior of the housing 36/212 (figs. 1 & 2) into an inner compartment, holding the valve components and into which the port opens and a separate outer compartment between the spring plate 20 and the end wall, the sidewall 37/234 being formed at the inner compartment with a through going vent opening 38/216 (figs. 1 & 8), whereby the spring plate 20 blocks fluid flow from the inner compartment to the outer compartment; and means 250 (fig. 9) for removably securing the rim to the

Application/Control Number: 10/549,834

Art Unit: 3753

flange 214, whereby removal of the housing 36/212 (figs. 1 & 8) exposes the valve elements, including a spring plate 20 (fig. 8) and a post 56 (fig. 2).

Furthermore, Martyn (429, 632) teaches the vent opening a (fig.1) is an array of small-diameter holes (or slot), and a shield hood G (fig. 2) above the slot.

Neither Johnson, Herz, nor Martyn teach a rigid feed through plate fixed to the flange and extending to the outer compartment, the housing side wall being fitted around the feed through plate; and a cable extending from the switch inside the outer compartment through the feed through plate to outside the compartment.

# Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MACADE BROWN whose telephone number is (571)270-5428. The examiner can normally be reached on Mon-Thurs, 8am-4:30pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Greg Huson can be reached on 571-272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3753

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/MACADE BROWN / Examiner, Art Unit 3753 /John Rivell/ Primary Examiner, Art Unit 3753